




- water and sewage gaskets
- rubber seals for ventilation
- rubber profiles: EPDM, NBR, TPE, PCV
- injection and polyurethane products

Gaskets for pipes, ventilation ducts



GUMOTEST CODE	Gasket outside diameter D1 (mm)	Gasket inside diameter D2 (mm)	Minimum dimension of the pipe groove height D3 (mm)	Minimum dimension of the pipe groove width D4 (mm)
STR 63	64	44,5	5	4
STR 75	76	56	5,3	4
STR 90	91	67,5	5,5	5
STR 160	161	126	10	8
STR 200	201	152	14	8




GUMOTEST CODE	Gasket outside diameter D1 (mm)	Gasket inside diameter D2 (mm)	Minimum dimension of the pipe groove height D3 (mm)	Minimum dimension of the pipe groove width D4 (mm)
SKN 63	63,5	50	4,7	4,8
SKN 75	77	61	4,7	4,8
SKN 90	91	69	5,3	4,5



- water and sewage gaskets
- rubber seals for ventilation
- rubber profiles: EPDM, NBR, TPE, PCV
- injection and polyurethane products




GRM



GUMOTEST CODE	Gasket outside diameter D1 (mm)	Gasket inside diameter D2 (mm)	Minimum dimension of the pipe groove height D3 (mm)	Minimum dimension of the pipe groove width D4 (mm)
GRM 50	53	43	2	3
GRM 63	64	52	3	3
GRM 75	78	61	6	5
GRM 90	95	78	5	5,5



FLX




GUMOTEST CODE	Gasket outside diameter D1 (mm)	Gasket inside diameter D2 (mm)	Minimum dimension of the pipe groove height D3 (mm)	Minimum dimension of the pipe groove width D4 (mm)
FLX 75	76,5	59	6	3,3
FLX 90	92	70,5	5	3,3



- water and sewage gaskets
- rubber seals for ventilation
- rubber profiles: EPDM, NBR, TPE, PCV
- injection and polyurethane products




GTH



GUMOTEST CODE	Gasket outside diameter D1 (mm)	Gasket inside diameter D2 (mm)	Minimum dimension of the pipe groove height D3 (mm)	Minimum dimension of the pipe groove width D4 (mm)
GTH 75	71	55	5	2,5




ZAB



GUMOTEST CODE	Gasket outside diameter D1 (mm)	Gasket inside diameter D2 (mm)	Minimum dimension of the pipe groove height D3 (mm)	Minimum dimension of the pipe groove width D4 (mm)
ZAB 75	79	63	5,5	4



RWA



GUMOTEST CODE	Gasket outside diameter D1 (mm)	Gasket inside diameter D2 (mm)	Minimum dimension of the pipe groove height D3 (mm)	Minimum dimension of the pipe groove width D4 (mm)
RWA 75	76	62,5	4,2	3,5